Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12	(remov$3 replac$3 substitut$3) with native near3 (instruction code attribute) same java and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 15:11
S11	23	(identif$4 with class$2) and (remov$3 near2 reference) and java and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:52
S13	4	(identif$3 with remov$3 near2 reference) and java and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:51
S16	44	(remov$3 near2 reference) and JAR and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 15:57
S17	30	(remov$3 near2 reference) and JAR and generat$3 and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:58
S18	54	(identif$4 with public with class$2) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:59
S19	10	(identif$4 with public with class$2) same generat$3 and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 17:25
S20	9	(generat$3 with compilation near3 interface) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:20

S24	2	(generat$3 with class with java with archive) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:25
S25	5	(remove near5 reference with compil$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:28
S26	18	(remov$3 near5 reference with compil$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:50
S28	15874	(remov$3 near5 reference) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:51
S29	3	S28 and (generat$4 near4 (jar archive adj file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:15
S31	4217	(717/100-103,106-108,114-122, 136-148,151-154,159).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/14 12:23
S32	8	(generat$4 near4 (java near4 archive adj file)) and @ad<="200201004"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:19
S35	2	(compil$5 with (java near4 archive adj file)) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:21
S38	8	(develop$5 with (java near4 archive adj file)) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:24

S39	68	dependen$4 with jar and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:30
S43	48	(remov$3 same (dependen$4 reference) with java) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:34
S44	23	(remov$3 with (dependen$4 reference) with java) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:35
S47	1	(remov$3 with (dependen$4 reference) with java and archive) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:36
S49	7	(remov$3 with (dependen$4 reference) with java and development) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:38
S50	4	(remov$3 with (dependen$4 reference) with compiler and development) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:39
S51	41	(remov$3 with (dependen$4 reference) with translat$4 and development) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:41
S52	8	(remov$3 with (dependen$4 reference references) with (translat$4 compil$3 generat$3) and development adj environment) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:49

S53	5	((replac$4 substitut$3 remov$3) with (dependen$4 reference references) with (default generic symbol$3) same (translat$4 compil$3 generat$3) and development adj environment) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:53
S54	6	((replac$4 substitut$3 remov$3 swap exchange switch) with (dependen$4 reference references pointer pointers) with (default generic symbol$3) same (translat$4 compil$3 generat$3) and development adj environment) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 15:44
S58	23	(default with (replac$3 substitut$3 includ$3) with (reference dependenc$3) and java and development) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 15:52
S59	927	(remov$3 substitut$3 replac$3) with (native reference) and JAR and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:03
S60	28	(remov$3 substitut$3 replac$3) with (native reference) and (java adj archive) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:11
S63	1747	generat$3 with gener$2 with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:13
S65	11	S63 and java adj archive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:14
S66	3	S65 and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:59

S69	17	(archive JAR first application package program code instruction) with (generat$4 translat$3 translation transform produce) with (second near2 (package application program software) JAR) and (archive JAR) and interface and development adj environment and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:21
S72	191	(archive JAR first application package program code instruction) with (generat$4 translat$3 translation transform produce) with (second new (package application program software) JAR) and (archive JAR) and interface and development adj environment and java and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:22
S73	177	S72 not S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:23
S75	131	S73 and utility	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:23
S76	62	S75 and ide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:24
S77	60	S76 and compil$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:24
S79	53	S77 and public and method and native	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:27

S81	141	@ad<="20020104" and (remov$3 with native with (code instruction byte machine adj specific object))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 18:29
S82	26	@ad<="20020104" and (remov$3 with native with (code instruction byte machine adj specific object)) and java and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 17:30
S83	3	717/137.ccls. and remov$3 with (reference native dependenc$3) and ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:33
S84	144	717/136,137.ccls. and Java and ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 18:47
S85	96	717/136,137.ccls. and Java and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:07
S86	7	S85 and ((remov$3 substitut$3 replac$3 omit$3 delet$3) adj2 (native reference dependenc$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 18:50
S92	1	"08957512"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:08
S93	15	717/124.ccls. and remov$3 with (reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:19

S95	19	717/108.ccls. and remov$3 with (reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:20
S96	31	717/124.ccls. and remov$3 with (call pointer reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:23
S99	20	717/136.ccls. and remov$3 with (call pointer reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:31
S10 0	32	717/136.ccls. and (replac$3 substitut$4) with (call pointer reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:49
S10 1	28	717/124.ccls. and (replac$3 substitut$4) with (call pointer reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:01
S10 2	28	717/108.ccls. and (replac$3 substitut$4) with (call pointer reference native dependenc$3) and @ad<="20020104"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:18
S10 5	252	compil$5 with (gener$3 with (JAR WAR interface) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:22
S10 6	62	S105 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:20

S107	46	S106 and development	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:20
S108	1	compil$5 with gener$3 with (JAR WAR interface) same (java and development) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:28
S109	70	lewis.in. and sun.as. and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:30
S112	3	S109 and ((replac$3 remov$3 substitut$3) with (native dependenc$3 reference references))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:13
S113	96	generat$3 with equivalent with class$3 and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:18
S114	6	S113 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:14
S116	38	generat$3 with class$3 same (remov$3 replac$5 substitut$3) with (references reference dependencies) and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:32
S117	3	generat$3 with class$3 same (remov$3 replac$5 substitut$3) with (references reference dependencies) same java and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:20

S11 8	43	generat$3 with class$3 same (remov$3 replac$5 substitut$3) with (references reference dependencies native) and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:34
S11 9	172	(produc$3 creat$3 generat$3) with class$3 same (remov$3 replac$5 substitut$3) with (references reference dependencies native) and @ad<="20020105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:35
S12 0	5	S118 not S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:21
S12 1	18	S119 and software and compile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:59
S12 2	567	(generat$3 compil$3 translat$3) with generic with (interface class$3 JAR) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:01
S12 3	3	(generat$3 compil$3 translat$3) with generic with (interface class$3 JAR) same ((remov$3 replac$3 substitut$4) with (reference$1 dependenc$3 native machine) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:05
S12 4	81	(generat$3 compil$3 translat$3) with generic with (interface class$3 JAR) and ((remov$3 replac$3 substitut$4) with (reference$1 dependenc$3 native machine)) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:21
S12 5	110	(generat$3 compil$3 translat$3) with generic with (interface class$3 JAR librar$3) and ((remov$3 replac$3 substitut$4) with (reference$1 dependenc$3 native machine)) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:21

S12 6	29	S125 not S124	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:51
S12 7	26	generic with (library JAR interface package) with (prototype IDE debug$3) and @ad<="20020106"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 19:30